

**NORTON**









SAINT-GOBAIN











***clipper***<sup>®</sup>

# MASONRY SAWS



# MASONRY SAWS

 <p>Ø350 mm 110mm MAX CUT DEPTH 130mm MAX MATERIAL HEIGHT</p>	 <p>Ø350 mm 110mm MAX CUT DEPTH 130mm MAX MATERIAL HEIGHT</p>	 <p>Ø350 mm 110mm MAX CUT DEPTH 195mm MAX MATERIAL HEIGHT</p>	 <p>Ø400 mm 150mm MAX CUT DEPTH 280mm MAX MATERIAL HEIGHT</p>
 <p><b>ELECTRIC</b> 3HP 2kW</p>	 <p><b>ELECTRIC</b> 3HP 2,2kW</p>	 <p><b>ELECTRIC</b> 3HP 2,2kW</p>	 <p><b>ELECTRIC/PETROL*</b> 3HP 2,2kW 4HP 3kW 6,5HP* 4,8kW*</p>
CST120 UNO	CST100/120	CST 150	CM401

 <p>Ø500 mm 195mm MAX CUT DEPTH 355mm MAX MATERIAL HEIGHT</p>	 <p>Ø500 mm 190mm MAX CUT DEPTH 355mm MAX MATERIAL HEIGHT</p>	 <p>Ø650 mm 265mm MAX CUT DEPTH 280mm MAX MATERIAL HEIGHT</p>	 <p>Ø900/1000** mm 370/420** mm MAX CUT DEPTH 440mm MAX MATERIAL HEIGHT</p>	 <p>508mm MAX CUT DEPTH 508mm MAX MATERIAL HEIGHT</p>
 <p><b>ELECTRIC / PETROL*</b> 5,5HP 4,0kW 6,5HP* 4,8kW*</p>	 <p><b>ELECTRIC</b> 7,5HP 5,5kW</p>	 <p><b>ELECTRIC / PETROL*</b> 3HP 2,2kW 6,5HP 4,8kW 7,5HP* 5,5kW*</p>	 <p><b>ELECTRIC / PETROL*</b> 10HP 7,5W 13HP* 9,6kW*</p>	 <p><b>ELECTRIC</b> 2,5HP 1,85kW</p>
CM501	ISM/ISC	JUMBO 651	JUMBO 900/1000	CB511




# JUMBO 651

## FEATURES

- Heavy duty frame with 4 wheels
- 2 wheels with locking device
- Conveyor cart with 4 location rollers
- Easy access to blade

## BENEFITS


- Easy movement on site
- Secure machine during cutting operations
- Excellent cutting accuracy
- Save time for tool change



JUMBO 651 1.30.3



JUMBO 651 6.75.3



JUMBO 651 6-55 P

Item No	701846 94005	701846 14005	701846 10073
EAN 13 Code	5450248 596714	5450248 186625	5450248 143680
Engine type	Electric	Electric	Petrol / HONDA GX200
Supply Voltage/ Power kW	230v 1~/2,2kW (3HP)	400v 3~/5,5kW (7,5HP)	4,8kW (6,5HP)
Fuse/ Generator	16 amp / 6kVA	32 amp /14kVA	-
Blade x bore (mm)	Ø 650 x 25,4	Ø 650 x 25,4	Ø 650 x 25,4
Tool speed RPM	1350 min-1	1350 min-1	1350 min-1
Max. cutting depth (mm)	265	265	265
Max. cutting length (mm)	500	500	500
Max. material height (mm)	280	280	280
Table size (mm)	600 x 500	600 x 500	600 x 500
Hand Arm Vibrations	< 2,5 m/s <sup>2</sup>	< 2,5 m/s <sup>2</sup>	< 2,5 m/s <sup>2</sup>
Sound power / pressure level	100 dB (A) / 86 dB (A)	100 dB (A) / 86 dB (A)	105 dB (A) / 93 dB (A)
Dimensions (LxWxH) (mm)	1700 x 800 x 1480	1700 x 800 x 1480	1700 x 800 x 1480
Weight	208kg	212kg	212kg

## PRODUCT FEATURES



MAX CUT DEPTH



HEAVY DUTY FRAME



2 WHEELS WITH LOCKING DEVICE



TILTING TABLE - 310005275  
(AVAILABLE ON REQUEST)

## DIAMOND BLADE RECOMMENDATIONS

Machine	JUMBO 651		JUMBO 900	
	SILENCIO	UNIVERSAL	SILENCIO	UNIVERSAL
Substrate / Material	SILENCIO	UNIVERSAL	SILENCIO	UNIVERSAL
Recommended Product	EXTREME UNI SILENCIO	PRO UNIVERSAL LASER	EXTREME UNI SILENCIO	EXTREME UNIVERSAL
Diameter x bore (mm)	650 x 25,4	650 x 25,4	900 x 60	900 x 60
Item No.	70184694227	70184647265	70184694030	70184647651
Page reference	27	28	27	28