

**NORTON**

SAINT-GOBAIN

**clipper**<sup>®</sup>

# FLOOR SAWS



**NORTON**

SAINT-GOBAIN


**clipper**<sup>®</sup>

# FLOOR SAWS

The Norton Clipper floor saw range exists in a wide range of blade diameters, motorizations and powers to suit all applications from small road repairs to airfield work sites. Use with Norton Clipper diamond blades for optimal results



## PETROL / DIESEL





# CS401

## FEATURES

- Heavy-duty wide frame
- 2 versions : 400mm blade guard/9HP and 450mm blade guard/13HP
- Continuous depth control with crank handle and gauge
- Removable 20L polyurethane water tank
- Adjustable handle

## BENEFITS

- Low centre of gravity for better direction control
- Two alternatives to fit best user requirements
- Quick, easy and accurate setting of cutting depth.
- Easy wet-cutting in isolated locations
- Ergonomic working position

### CS401 P9

|             |                |
|-------------|----------------|
| Item No     | 701846 47624   |
| EAN 13 Code | 5450248 563631 |



9HP



6,6kW



PETROL

|                                 |                       |
|---------------------------------|-----------------------|
| Power source                    | Petrol                |
| Motor type                      | Honda GX270           |
| Power kW (Hp)                   | 6,6kW (9 HP)          |
| Blade x bore (mm)               | Ø 400 x 25,4          |
| Max. cutting depth (mm)         | 145                   |
| Dimensions (LxWxH) (mm)         | 1180 x 650 x 1000     |
| Water tank capacity (removable) | 20 L                  |
| Tool speed RPM                  | 2600 min-1            |
| Starter                         | Recoil                |
| Raise and lower                 | Manual                |
| Propelling                      | Push                  |
| Hand Arm Vibrations             | 3,75 m/s <sup>2</sup> |
| Sound power / pressure level    | 100 dB(A)/84 dB(A)    |
| Weight                          | 93kg                  |

### CS401 P13

|             |                |
|-------------|----------------|
| Item No     | 701846 47623   |
| EAN 13 Code | 5450248 563624 |



13HP




9,6kW



PETROL

|                                 |                       |
|---------------------------------|-----------------------|
| Power source                    | Petrol                |
| Motor type                      | Honda GX390 Cycl.     |
| Power kW (Hp)                   | 9,6kW (13 HP)         |
| Blade x bore (mm)               | Ø 450 x 25,4          |
| Max. cutting depth (mm)         | 170                   |
| Dimensions (LxWxH) (mm)         | 1180 x 650 x 1000     |
| Water tank capacity (removable) | 20 L                  |
| Tool speed RPM                  | 2600 min-1            |
| Starter                         | Recoil                |
| Raise and lower                 | Manual                |
| Propelling                      | Push                  |
| Hand Arm Vibrations             | 4,13 m/s <sup>2</sup> |
| Sound power / pressure level    | 100 dB(A)/86 dB(A)    |
| Weight                          | 99kg                  |


## PRODUCT FEATURES



MAX CUT DEPTH - P9



CUTTING DEPTH INDICATOR



MAX CUT DEPTH - P13



SMART CUTTING-DEPTH LOCKING

## DIAMOND BLADE RECOMMENDATIONS FOR CS401



| Substrate / Material | BETON             | SILENCIO               | ASPHALT         | ALL MATERIALS    |
|----------------------|-------------------|------------------------|-----------------|------------------|
| Recommended Product  | EXTREME BETON     | EXTREME BETON SILENCIO | EXTREME ASPHALT | PRO 4X4 EXPLORER |
| CS401 P9             | Blade x Bore (mm) | 400 x 25,4             | 400 x 25,4      | 400 x 25,4       |
|                      | Item No.          | 701846 93354           | -               | 701846 02095     |
| CS401 P13            | Blade x Bore (mm) | 450 x 25,4             | 450 x 25,4      | 450 x 25,4       |
|                      | Item No.          | 701846 01689           | 701846 31020    | 701846 02096     |
| Page reference       | 18                | 19                     | 46              | 36               |