

NORTON

SAINT-GOBAIN

clipper[®]

MASONRY SAWS























MASONRY SAWS

Inventors of the first masonry saw 80 years ago, Norton Clipper today offers a full range of machines with blade diameters of 350mm up to 1000mm, with electric motors or petrol engines for all construction and industrial work sites. Use with Norton Clipper diamond blades for optimum results.



MASONRY SAWS

 110mm MAX CUT DEPTH 150mm MAX MATERIAL HEIGHT	 110mm MAX CUT DEPTH 150mm MAX MATERIAL HEIGHT	 135mm MAX CUT DEPTH 200mm MAX MATERIAL HEIGHT	 110mm MAX CUT DEPTH 240mm MAX MATERIAL HEIGHT	 150mm MAX CUT DEPTH 250mm MAX MATERIAL HEIGHT
				
ELECTRIC	ELECTRIC	ELECTRIC	ELECTRIC	ELECTRIC / PETROL*
 3HP  2,2kW	 3HP  2,2kW	 3HP  2,2kW	 3HP  2,2kW	 3HP 6,5HP*  2,2kW 4,8kW*
CGW	CM351 UNO	CM42	CHW	JCW

CGW

FEATURES

- Variable cutting guide
- Cutting head locking device
- Blade guard with removable cover
- Electrical water pump protected from slurries

BENEFITS

- Allows cutting at any angle without any additional tool
- Easy straight-through cutting
- Operator protection and easy access for blade change
- Reduced maintenance



PRODUCT DATA

Item No	701846 29851	Supply Voltage/ Power kW	230V 1~	Tilting head	No
EAN 13 Code	5450248 407393	Fuse/Generator	16A / 6 kVA	Max. cutting depth (mm)	110
		Blade x bore (mm)	Ø 350 x 25,4	Max. cutting length (mm)	500
		Tool speed RPM	2800 min-1	Max. material height (mm)	150
		Dimensions (LxWxH) (mm)	980 x 600 x 1250	Table size (mm)	440 x 340
		Dimensions (folded legs) (mm)	980 x 600 x 550	Hand Arm Vibrations	< 2,5 m/s ²
		Weight	66kg	Sound power / pressure level	92 dB (A) / 80 dB (A)



PRODUCT FEATURES



MAX CUT DEPTH



COMPENSATION SPRING



VARIABLE CUTTING GUIDE



SPLASH GUARD

DIAMOND BLADE RECOMMENDATIONS FOR CGW & CM351

Substrate / Material	BETON	SILENCIO	UNIVERSAL
Recommended Product	PRO BETON	EXTREME UNIVERSAL SILENCIO	EXTREME UNIVERSAL
Diameter x bore (mm)	350 x 25,4	350 x 25,4	350 x 25,4
Item No.	701846 27061	701846 28998	701846 12283
Page reference	20	27	26